

TransStem® Natural Killer Cell Cryopreservation Medium—Protein Free (with DMSO)

Please read the manual carefully before use.

Cat. No. MC105

Storage: at 2-8°C in the dark for one year

Description

TransStem® Natural Killer Cell Cryopreservation Medium—Protein Free is a chemically defined, serum-free, protein-free, ready-to-use cryopreservation medium designed for NK cells. This product is suitable for long-term stable cryopreservation of NK cells derived from peripheral blood and umbilical cord blood, and can effective in preventing delayed cell death after resuscitation.

Features

- With 10% DMSO
- Completely using "pharmaceutical" grade materials
- Ultra-low endotoxin levels (< 0.1 EU/ml)
- Supports high-density cryopreservation of NK cells
- Supports programmed cryopreservation and direct cryopreservation at -80°C
- Validated cells frozen for 3 years with high cell recovery viability (> 85%) and high cell recovery efficiency (> 80%)

Kit Content

| Component | MC105-01 |
|---|----------|
| TransStem® Natural Killer Cell Cryopreservation Medium—Protein Free | 100 ml |

Procedures

- 1. Cell cryopreservation
- (1) Collect NK cells in a centrifuge tube according to the routine method, centrifuge at 300×g for 5 minutes, and discard the supernatant.
- (2) Add an appropriate amount of cryopreservation solution to make the cell density $2 \times 10^6 \sim 1 \times 10^8$ cells/ml ($1 \times 10^7 \sim 5 \times 10^7$ cells/ml is the recommended optimal density). Place cells into suspension.
- (3) Dispense the cell suspension in the centrifuge tube into the cryogenic vial. Freeze samples at -80°C directly or in freezing containers for long-term storage. (Store samples at liquid nitrogen only after samples have been frozen overnight at -80°C)
- 2. Cell recovery
- (1) Add 5-10 ml of complete medium pre-warmed at 37°C into a 15 ml centrifuge tube.
- (2) Take out the cryogenic vial from the -80°C refrigerator or liquid nitrogen, and quickly thaw it in a 37°C water bath or cell resuscitation equipment until all visible ice has melted.
- (3) Transfer the cell suspension in the cryogenic vial dropwise to the pre-prepared complete medium, mix gently, centrifuge at 300×g for 5 minutes, and discard the supernatant.
- (4) Add an appropriate amount of preheated complete medium, pipet gently to mix, and perform cell counting and viability analysis.

Notes

• Please make sure that the cells grow well before cryopreservation, and the survival rate is greater than 90%, such as cells in the logarithmic growth phase.





- We recommend that users perform a pre-experiment on the frozen cells for at least 1 week before using this product, and then perform formal freezing after confirming the performance.
- This product is in sterile packaging and does not need to be filtered. Please be aware of using it under sterile conditions.
- Please ensure that the cell cryogenic vial is completely sealed to avoid bursting of the cryogenic vial during the resuscitation process.
- Please wear lab gown and wear antifreeze gloves for operation to avoid low temperature frostbite.

For research use only, not for clinical diagnosis

Version number: V1-202409 Service telephone +86-10-57815020 Service email complaints@transgen.com

